











		THE WORLD AND DESCRIPTION OF	=
		Heart	=
	A1124.	4000	=
		Line.	-
	4	1	
	-	i i	-
1		7	-
	í		1
		II II III	
	-	ilini.	
	1111111	and The state	
	11111	in it	
-	4	-	
		_	

		/		_ —			_,								
	ADD R3, R3, RØ	00111	E	ш	ш	(SOA+SOB) TOS	1	oad ² RF=Ø.RE=2)	LDR R3 [Rvars,#4] LDR R2 [Rvars,#0] \	10011	SOC TOS-3	SOD TOS-2	SOE TOS-1	SOF TOS	
iadd (SA=-1)							; ; ;	(RF=	~	01000	SOC TOS-1	SOD TOS	ш	ш	
iadd (RF=2,RF>1)	LDR R3[RStack,#-4]! (POP) ★	01000	SOA TOS	ш	ш	SOB TOS-1	, 	oad ² (RF=Ø,RE>2)	✓ STR R3[RStack],#-4 (PUSH)	00100				JB) TOS	FIG. 6
	stack,#-4]! ≠	00100	SOA TOS	ш	Ш	Ш		=>2)	LDR R1,[Rvars,#4] LDR RØ,[Rvars,#0] \	.00	SOC TOS-1	SOD TOS	Ш	(SOA+SOB) TOS	工
1add (RF=2,RF>Ø)	≠LDR RØ[RStack,#-4]! (POP)	00000	ш	ш	ш	ш	1	/ lload ¹ (RF=Ø,RE>2)	/ LDR R1, LDR RØ	00000	ш	ш	ш	(SOA+SOB) TOS	
JAVA INSTRUCTION	ARM INSTRUCTION(S)	STATE	RØ	R1	R2	R3	÷	JAVA INSTRUCTION	ARM INSTRUCTIONS	STATE	RØ	R1	R2	R3	_













